

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 1 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1.	Product identifier	
	Trade name:	Hidrofob DA 194
	Chemical name:	Not applicable
	Synonyms:	Not applicable
	Catalogue number:	Not applicable
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Application:	<p>HIDROFOB DA 194 elastic water proofing single-component coating. It is characterized by high elasticity and simple application. It is used for waterproofing bathrooms, shower boxes, kitchens and similar before laying of ceramics.</p> <p>HIDROFOB DA 194 is used in conditions of internal exploitation, at places where there is no direct water pressure. It may not be used as the finishing layer.</p> <p>It is classified as DM 01 on the basis of EN 14891 standard.</p> <p>(dispersive liquid-applied waterproof product with improved crack-bridging at low temperatures up to -5°C</p>
	Applications not recommended:	All other applications not listed on label or product data sheet.
	Reasons for non-application:	Poor quality of the coating. Too viscous material.
1.3.	Details of the supplier of the safety data sheet	
	Company name:	Colorit d.o.o.
	Address:	Blagoja Parovića 114b
	Telephone:	+387(0)51/388-830
	Fax:	+387(0)51/388-840
	e-mail address of the person liable for MSDS:	colorit@inecco.net
	Authorized person in RS:	Colorit d.o.o., Blagoja Parovića 114b, Banja Luka
1.4.	Emergency telephone number	
	Emergency telephone number:	121 (before 112 gets activated)
	Telephone number for medical information:	124 (0-24h)
	Other information:	+381 11 360 84 40 (Poison Control Centre Military Medical Academy Belgrade, Serbia)
SECTION 2. HAZARDS IDENTIFICATION		
2.1.	Classification of the substance or mixture	
2.1.1.	CLP/GHS system classification	
	Hazard class and category mark:	Warning on danger (H, EUH)*:
	Product not classified as hazardous.	EUH208
2.1.2.	Additional information	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 2 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

	Not applicable	
*Full text H and EUH marks in Section 16		
2.2.	Label elements	
	Pictogram/hazard symbol:	Product not classified as hazardous.
	Signal word/danger sign and written warning:	Product not classified as hazardous.
	Hazard statements (H):	Product not classified as hazardous.
	Precautionary statements (P) :	P102 – Keep out of reach of children P103- Read label before use P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 – IN CASE OF CONTACT WITH SKIN: Wash with plenty of soap and water P305+P351+P338-IN CASE OF EYES CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P501 – Dispose of contents /container in accordance with local/national/regional/international regulations
	Supplemental hazard information:	EUH208: Contains (mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (EC: mixture; CAS: 55965-84-9). May cause allergic reaction.

2.3.	Other hazards	
	Not applicable	

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.	Information on mixture ingredients			
Name	CAS number / EC number / Index number	REACH registration number	Mass or volume % or range	CLP/GHS system classification*
Calcium carbonate – (CaCO ₃)	471-34-1/ 207-439-9/ Not applicable	Excluded	51.1	Not classified as hazardous
Styrene-Acrylic Acid Ester Copolymer	Not applicable	Not applicable	25.2-26.1	Not classified as hazardous
Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one (EC 247-500-7) and 2-methyl-2H-isothiazol-3-one (EC 220-239-6)	55965-84-9/ Not applicable/ 613-167-00-5	Not applicable	0.001035	Acute toxicity 3, H311 Skin corrosion 1B, H314 Skin sensitization 1, H317 Serious eye damage 1, H318 Acute toxicity 3, H331 Aquatic acute 1, H400 Aquatic chronic 1, H410

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 3 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

*Full text R, H and EUH marks in Section 16.				
SECTION 4. FIRST AID MEASURES				
4.1.	Description of first aid measures			
	General:	Show the material safety data sheet to the doctor.		
	After inhalation:	Remove the person to fresh air. If symptoms persist consult a doctor.		
	After skin contact:	Rinse immediately with plenty of water for at least 15 minutes. If symptoms persist consult a doctor.		
	After eye contact:	Rinse eyes immediately with plenty of water, wash also the region below eyelids for at least 15 minutes. If symptoms persist, seek medical help immediately.		
	After swallowing:	Rinse the mouth. If symptoms persist consult a doctor.		
	Personal protection of person providing first aid:	Not applicable.		
4.2.	Most important symptoms and effects, both acute and delayed			
	After inhalation:	Not applicable.		
	After skin contacts:	Irritation		
	After eye contact:	Irritation		
	After swallowing:	Not applicable.		
4.3.	Indication of any immediate medical attention and special treatment needed			
	Treat symptomatically.			
SECTION 5. FIREFIGHTING MEASURES				
5.1.	Extinguishing media			
	Suitable extinguishing agents:	Use fire fighting measures suitable for local conditions.		
	Inappropriate extinguishing agents:	Not applicable		
5.2.	Special hazards arising from the substance or mixture			
	Dangerous combustion products:	Not applicable.		
5.3.	Advice for fire-fighters			
	Wear breathing apparatus and appropriate protective equipment.			
SECTION 6. ACCIDENTAL RELEASE MEASURES				
6.1.	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For people not trained for the accident:			
	Protective equipment:	Protective glasses, face protection, protective gloves, work clothing		

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 4 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

	Accident prevention procedures:	Ensure adequate ventilation.
	Emergency procedures:	
6.1.2.	For people participating in accident response:	
	Use personal protective equipment.	
6.2.	Environmental precautions	
	Do not discharge into environment.	
6.3.	Methods and materials for containment and cleaning up	
6.3.1.	For confinement:	Collect with inert material (sand, silica gel, acid binder, universal binder, sawdust)
6.3.2.	For cleaning up:	
6.3.3.	Other information:	Store waste in suitable containers for disposal, using prescribed procedure and at an approved disposal site.
6.4.	Reference to other sections	
	Contaminated material should be disposed pursuant to Section 13.	
	Use personal protection equipment pursuant to Section 8.	
SECTION 7. HANDLING AND STORAGE		
7.1.	Precautions for safe handling	
7.1.1.	Protective measures	
	Recommendations for safe handling:	Handle in accordance with good industrial hygiene and safety practice.
	Fire prevention measures:	
	Aerosol and dust formation preventive measures:	Ensure adequate ventilation.
	Incompatible materials handling:	Not applicable
	Environment protective measures:	Avoid discharging of contents into environment.
7.1.2.	General hygienic measures advice:	
	Wear personal protective equipment. Do not eat, smoke or drink at the work place. Take off contaminated clothing and wash before reuse.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in well closed and original containers, far from sources of heat and direct solar light. Protect against extreme temperatures.
	Packaging materials:	PP (polypropylene)
	Requests for storage rooms and containers:	Not applicable
	Storage class:	Not applicable
	Other information on storage conditions:	Dry room. Recommended temperature 5-25°C. Do not allow to freeze.
7.3.	Specific end use(s)	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 5 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

	Recommendations:			Not applicable	
	Special solutions for industrial sector:			Not applicable	
SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION					
8.1.	Control parameters:				
Substance		CAS number	Exposure limiting value (ELV/KELV)		Biological limiting values
			ppm	mg/m³	
Not applicable		Not applicable	Not applicable	Not applicable	Not applicable
Substance:		Not applicable			
EU No.:	Not applicable	EU number:	Not applicable		EU number: Not applicable
DNEL					
Worker					
Exposure way:	Acute local effects	Acute systematic effects		Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable		Not applicable	Not applicable
Inhalation	Not applicable	Not applicable		Not applicable	Not applicable
Skin	Not applicable	Not applicable		Not applicable	Not applicable
Key physical parameters: melting point, flammability, corrosion:				Not applicable	
User					
Exposure way:	Acute local effects	Acute systematic effects		Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable		Not applicable	Not applicable
Inhalation	Not applicable	Not applicable		Not applicable	Not applicable
Skin	Not applicable	Not applicable		Not applicable	Not applicable
PNEC					
Environment segment		PNEC			
Fresh water		Not applicable			
Fresh water sediments		Not applicable			
Sea water		Not applicable			
Sea sediments		Not applicable			
Food chain		Not applicable			
Microorganisms in waste water treatment		Not applicable			
Land (agricultural)		Not applicable			
Air		Not applicable			
8.2.	Exposure control				
8.2.1.	Appropriate technical control				

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 6 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

	Exposure control measures in identified application:	Do not eat, drink or smoke during work with the product.	
	Structural measures for exposure prevention:	Ensure adequate ventilation, especially in closed areas.	
	Organizational measures for exposure prevention:		
	Technical measures for exposure prevention:		
8.2.2.	Personal protective equipment		
8.2.2.1	Eyes and face protection:	Wear protective goggles that fit face well.	
8.2.2.2	Skin protection	Protective work clothing.	
	Hands protection:		
	Protection of other body parts:		
8.2.2.3	Protection of breathing parts:	Protective equipment is not necessary under normal conditions of use. If the exposure limit is exceeded or if irritation appears imminent, ventilation and evacuation are required.	
8.2.2.4	Protection from thermal hazards:	Not applicable	
8.2.3.	Environment exposure control		
	Preventive measures for substance/mixture exposure:	Avoid discharging of contents into environment.	
	Structural measures for exposure prevention:	Not applicable.	
	Organizational measures for exposure prevention:		
	Technical measures for exposure prevention:		
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
9.1.	Information on basic physical and chemical properties		
		Value	Method
	Form:	Liquid	Not applicable
	Colour:	Green	Not applicable
	Odour:	Characteristic	Not applicable
	Odour threshold:	Not applicable	Not applicable
	pH:	7.5-9.5	BDS EN ISO 787-9:1999
	Melting point/Freezing point:	Not applicable	Not applicable
	Ignition boiling point and boiling range:	Not applicable	Not applicable
	Ignition point:	Not applicable	Not applicable
	Non-volatile matter content:	Not applicable	Not applicable
	Evaporation rate:	Not applicable	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 7 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

Flammability (solid, gas):	Not applicable	Not applicable
Upper/lower flammability or explosion limit:	Not applicable	Not applicable
Vapour pressure:	Not applicable	Not applicable
Vapour density:	Not applicable	Not applicable
Relative density:	1.42-1.75 g/cm ³	BDS EN ISO 2811-1:2011
Pouring density:	Not applicable	Not applicable
Solubility:	Not applicable	Not applicable
Partition coefficient: n-octanol /water (log Pow):	Not applicable	Not applicable
Self-ignition temperature:	Not applicable	Not applicable
Decomposition temperature:	Not applicable	Not applicable
Viscosity:	15000-20000 mPa.S	BDS EN ISO 2555:2003
Explosion features:	Not applicable	Not applicable
Oxidizing features:	Not applicable	Not applicable

9.2.	Other information		
	Adhesion strength after hardening in normal state	1 N/mm ²	BDS EN 14891:2012 Annex A
	Adhesion strength after water immersion	0.73 N/mm ²	BDS EN 14891:2012 Annex A
	Adhesion strength after heat ageing at 70°C	1 N/mm ²	BDS EN 14891:2012 Annex A
	Adhesion strength after freeze-thaw cycles	0.75 N/mm ²	BDS EN 14891:2012 Annex A
	Adhesion strength after contact with chlorinated water	0.84 N/mm ²	BDS EN 14891:2012 Annex A
	Crack bridging potential at - 5°C	1.1 mm	BDS EN 14891:2012 Annex A
	Water tightness	Waterproof	BDS EN 14891:2017 BDS EN 206-1:2013 +A1:2016/NA:2017

SECTION 10. STABILITY AND REACTIVITY

10.1.	Reactivity:	Reactivity does not occur during normal use.
10.2.	Chemical stability:	Stable under normal conditions.
10.3.	Possibility of hazardous reactions:	Not known.
10.4.	Conditions to avoid:	Temperatures under +°5 and above 25°C.
10.5.	Incompatible materials:	No information available.
10.6.	Hazardous disintegration products:	No information available.

SECTION 11. TOXICOLOGICAL INFORMATION

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Trade name:	HIDROFOB DA 194				BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no:	01

11.1.	Information on toxicological effects						
	Acute toxicity:						
Exposure way		Method	Organism	Dose LD50/LC50	Exposure time	Result	
Swallowing:		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Skin contact:		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Inhalation:		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
	Irritation and corrosion						
	Exposure time		Organism	Evaluation	Method	Note	
Skin irritation:		Not applicable	Not applicable	Not applicable	Not applicable	Possible allergic reactions	
Eye irritation:		Not applicable	Not applicable	Not applicable	Not applicable	Possible allergic reactions	
	Irritation of respiratory system		Not applicable				
	Sensitization						
Inhalation:		No information available					
Skin contact:		Possible allergic skin reactions.					
	CMR effects (carcinogenetic, mutagenic, reproductive toxicity)						
Carcinogenetic:			No information available				
Mutagenic <i>in-vitro</i> :							
Genotoxic:							
Mutagenic <i>in-vivo</i> :							
Mutagenic effect on sex cells:							
Reproductive organs toxicity:							
	Toxicity in repeated dose (sub-acute, sub-chronic, chronic)						
	Dose		Exposure time	Organism	Method	Evaluation	Note
Sub-acute to mouth		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	No information available
Sub-acute on skin		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-acute inhalation		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-chronic to mouth		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-chronic on skin		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Sub-chronic inhalation		Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 9 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

Chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

	Specific toxicity for organ target – single exposure (STOT SE):		
	Specific effects	Exposed organ	Note
Swallowing:	Not applicable	Not applicable	No information available
Skin contact:	Not applicable	Not applicable	
Inhalation:	Not applicable	Not applicable	

Specific toxicity for organ target – repeated exposure (STOT RE):					
	Specific effects		Exposed organ		Note
Sub-acute to mouth	Not applicable		Not applicable		Not applicable
Sub-acute on skin	Not applicable		Not applicable		Not applicable
Sub-acute inhalation	Not applicable		Not applicable		Not applicable
Sub-chronic to mouth	Not applicable		Not applicable		Not applicable
Sub-chronic on skin	Not applicable		Not applicable		Not applicable
Sub-chronic inhalation	Not applicable		Not applicable		Not applicable
Chronic to mouth	Not applicable		Not applicable		Not applicable
Chronic on skin	Not applicable		Not applicable		Not applicable
Chronic inhalation	Not applicable		Not applicable		Not applicable

Aspiration hazards:	Not applicable
Probable exposure ways:	Not applicable

Symptoms referring to physical, chemical and toxic features					
Swallowing:	No information available				
Skin contact:					
Inhalation:					
Eye contact:					

Delayed current effects, as well as chronic effects due to short and extended exposure:	Not applicable
Interaction effects:	Not applicable
Lack of certain information:	Not applicable
Information on mixture in the reference to its ingredients information:	Not applicable
Other information:	Not applicable

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Acute toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	No information available
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 10 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Chronic toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Not applicable	Not applicable	Not applicable	Not applicable
Crabs (Daphnia)	EC ₅₀	48 hours	Not applicable	Not applicable	Not applicable	Not applicable
Algae/water plants	IC ₅₀	72 hours	Not applicable	Not applicable	Not applicable	Not applicable
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

12.2. Persistence and degradability

Abiotic degradability

	Half-degradability time	Method	Evaluation	Note
Sea water	Not applicable	Not applicable	Not applicable	No information available
Fresh water	Not applicable	Not applicable	Not applicable	
Air	Not applicable	Not applicable	Not applicable	
Soil	Not applicable	Not applicable	Not applicable	

Physical and photo-chemical elimination

Not applicable

Biodegradability

% degradation	Time (days)	Method	Evaluation	Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

12.3. Bioaccumulative potential:

Partition coefficient: n-octanol/water (log Pow)

Value	Concentration	pH	°C	Method	Evaluation	Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Bioconcentration factor (BCF)

Value	Organism	Method	Evaluation	Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Chronic eco-toxicity

Value	Dose	Exposure time	Organism	Method	Evaluation	Note
Chronic toxicity in fish	LC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity in crabs (Daphnia)	EC ₅₀	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

12.4. Mobility in soil

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 11 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

	Known or anticipated partition in environment:					
	No information available					
	Surface pressure:					
	Value	°C	Concentration	Method	Note	
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
	Adsorption/desorption					
	Transport	A/D coefficient Henry's constant	log Pow	Evaporation	Method	Note
	soil-water	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	Water-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	Soil-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
12.5.	Results of PBT and vPvB assessment					
	Not applicable					
12.6.	Other adverse effects					
	Not applicable					
SECTION 13. DISPOSAL CONSIDERATIONS						
13.1.	Waste treatment methods					
13.1.1.	Disposal of unused chemical/contaminated packaging:					
	Disposal must be in line with official local and national regulations. Contaminated packaging is to be handed over to the authorized person for waste disposal.					
13.1.2.	Waste labelling according to waste catalogue:					
	08 01 12 Waste paint and varnish other than those mentioned in 08 01 11. 15 01 02 plastic packaging					
13.1.3.	Waste treatment forms:					
	Not applicable					
13.1.4.	Possibility of disposal to sewage:					
	Product must not be discharged into the sewage system.					
13.1.5.	Other recommendations for disposal:					
	Not applicable					
13.1.6.	Regulations for waste management:					
	Law on waste management ("Official Gazette of the Republic of Srpska", number 111/13 and 106/15), Rulebook on waste categories, testing and classification ("Official Gazette of Republic of Srpska", no. 19/15).					
SECTION 14. TRANSPORT INFORMATION						
	Road transport (ADR)					
UN number:		Not applicable				
UN proper shipping name:		Not applicable				
Transport hazard class:		Not applicable				
Packaging group:		Not applicable				

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 12 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Railway transport (RID)	
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Inland waterways transport (ADN)	
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Seaways transport (IMDG)	
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	Not applicable
Transport in loose state (MARPOL73/78 and IBC code):	Not applicable
Airways transport (ICAO-TI/IATA-DGR)	
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class:	Not applicable
Packaging group:	Not applicable
Special precautions for user:	Not applicable
Additional information:	Not applicable

SECTION 15. REGULATORY INFORMATION

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	Applicable regulations in the Republic of Srpska:	Law on chemicals (RS Off. Gaz. no. 21/18), Rulebook on classification, packaging and labelling of chemicals and certain products (RS Off. Gaz. no.09/16), Rulebook on contents of the Material Safety Data Sheet (RS Off. Gaz. no. 104/13), Law on waste management (RS Off. Gaz. no. 111/13 and 106/15), Rulebook on waste categories, testing and classification (RS Off. Gaz. no. 19/15).
	Authorization and/or limitations in application	
	Authorizations:	Not applicable
	Limitations:	Not applicable
	Substance causing concern:	Product does not contain substances causing concern.

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 13 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

	Other applicable regulations	Not applicable
	Product subcategory mark (paints and vanishes)	A (i)
	Information on emissions of volatile organic compounds (VOC):	VOC: A (i), 140 g/l; max. 140 g/l
15.2.	Chemical safety assessment	Chemical safety assessment not performed.

SECTION 16. OTHER INFORMATION

	Changes report:	Not applicable
	Abbreviations and acronyms:	Not applicable
	Basic literature and information sources:	Material Safety Data Sheet of raw materials, European Chemicals Agency, Report on product testing in accredited laboratory
Classification and procedures used for classification of mixture according to CLP/GHS system		
Classification according to CLP/GHS system		Classification procedure
Product not classified as hazardous		Classification procedure pursuant to procedures described in the Rulebook on classification, packaging and labelling of chemicals and certain products (RS Off. Gaz. no. 09/16)
Relevant H and P signs (number and full text)		
	H 311	Toxic in contact with skin
	H 314	Causes severe skin burns.
	H 317	May cause allergic skin reaction.
	H 318	Causes serious eye damage.
	H 331	Toxic if inhaled.
	H 400	Very toxic to aquatic life
	H 410	Very toxic to aquatic life with long-lasting effects.
	P 102	Keep out of reach of children.
	P 103	Read label before use
	P 280	Wear protective gloves/protective clothing/eye protection/face protection
	P 302+P352	IN CASE OF SKIN CONTACT: wash with water and soap abundant.
	P 305+P351+P338	IN CASE OF EYES CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P 501	Dispose of contents /container in accordance with local/ national/ regional/international regulations
	EUH 208	EUH208: Contains (mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (EC: mixture; CAS: 55965-84-9). May cause allergic reaction.
	Advice for training:	Not applicable

MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 14 of 14

Trade name:	HIDROFOB DA 194			BTL.C.86.01
Product code:		Production date:	09 February 2018	Version no: 01

	Additional information:	Information provided in this MSDS is a result of our best current knowledge. This information should serve as guidance in manipulation, use, storage, transport and disposal, hence it should not be considered as quality guarantee. Information refers to this product only and may not be used for combination with other materials and processes unless otherwise specified in the text.
		It is product user's responsibility to obey local legislation.