

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 1 of 13

Trade name:	GLET F			BTL.C.43.02
Product code:	Production date:	31 March 2017	Version no:	02


<b>SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING</b>	
1.1.	Product identifier
	Trade name: Glet F
	Chemical name: Not applicable
	Synonyms: Not applicable
	Catalogue number: Not applicable
1.2.	Relevant identified uses of the substance or mixture and uses advised against
	Application: It is used for fine flattening in internal and external conditions of exploitation. It provides excellent filling of cracks and small holes of the thickness of up to 3 mm. For detailed information, see product data sheet/label.
	Applications not recommended: All other applications not listed on label or product data sheet.
	Reasons for non-application: Unsatisfactory quality of used product.
1.3.	Details of the supplier of the safety data sheet
	Company name: Colorit d.o.o.
	Address: Blagoja Parovića 114b
	Telephone: +387(0)51/388-830
	Fax: +387(0)51/388-840
	e-mail address of the person liable for MSDS: colorit@inecco.net
	Authorized person in RS: Colorit d.o.o., Blagoja Parovića 114b, Banja Luka
1.4.	Emergency telephone number
	Emergency telephone number: 121 (before 112 gets activated)
	Telephone number for medical information: 124 (0-24h)
	Other information: +381 11 360 84 40 (Poison Control Centre Military Medical Academy Belgrade, Serbia)
<b>II SECTION 2. HAZARDS IDENTIFICATION</b>	
2.1.	Classification of the substance or mixture
2.1.1.	CLP/GHS system classification
	Hazard class and category mark: Warning on danger (H, EUH)*:
	Skin irritation 2 H315
	Skin sensitisation 1 H317
	Serious eye damage 1 H318
	STOT SE 3 H335
2.1.2.	Additional information
	Not applicable
*Full text H and EUH marks in Section 16	

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 2 of 13

Trade name:	GLET F			BTL.C.43.02
Product code:	Production date:	31 March 2017	Version no:	02

2.2.	Label elements			
	Pictogram/hazard symbol:			
	Signal word/danger sign and written warning:	Danger		
	Hazard statements (H):	H315-Causes skin irritation H317-May cause allergic skin reactions. H318-Causes serious eye damage. H335-May cause respiratory irritation.		
	Precautionary statements (P) :	P102 – Keep out of reach of children P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - IF ON SKIN: Wash with plenty of soap and water P304+P340-IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310-Immediately call a POISON CENTER or doctor/physician P333-P313-If skin irritation or rash occurs: Get medical advice/attention P501 – Dispose of contents /container in accordance with local/national/regional/international regulations		
	Supplemental hazard information:	Not applicable		

2.3.	Other hazards			
	Not applicable			

## II SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3. Information on mixture ingredients				
Name	CAS number / EC number / Index number	REACH registration number	Mass or volume % or range	CLP/GHS system classification*
Natural ground calcium carbonate – calcite (CaCO <sub>3</sub> )	1317-65-3/ 215-279-6/ Not applicable	Excluded	65 – 75	Not classified hazardous
Portland cement clinker	65997-15-1/ 263-043-4/ Not applicable	Excluded	1,2 – 24	Skin irritation 2, H315 Skin sensitization 1, H317 Serious eye damage 1, H318 STOT SE 3, H335

\*Full text R, H and EUH marks in Section 16.

## SECTION 4. FIRST AID MEASURES

4.1.	Description of first aid measures
------	-----------------------------------

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 3 of 13

Trade name:	GLET F			BTL.C.43.02
Product code:	Production date:	31 March 2017	Version no:	02

	General:	If the person does not feel well, seek medical help, and show the label or product packaging where possible.
	After inhalation:	Remove the person to fresh air. Clear the throat, drink water to rinse the throat, blow nose to clear dust. If symptoms persist ask for medical help. In case of inhalation of large amounts of dust, immediately call a doctor.
	After skin contact:	Remove contaminated clothing and shoes, rinse contaminated body parts with water for around 10-15 minutes, if symptoms persist, ask for medical help.
	After eye contact:	Do not rub eyes to avoid eye injuries. Wash hands, and then separate eyelids with clean fingers flushing each eye with lukewarm water for at least 15 minutes to wash out all particles. Rinse with saline solution if possible. Seek medical help.
	After swallowing:	Do not induce vomiting. If the person is conscious, wash out the mouth with water and spit. Seek medical help immediately. Nothing should be given by mouth to an unconscious person.
	Personal protection of person providing first aid:	No special personal protection needed for person administering first aid.

### 4.2. Most important symptoms and effects, both acute and delayed

	After inhalation:	Coughing, sneezing, chest pain, difficulties with breathing may occur. Inhalation of large amounts often increases the risk of development of pulmonary diseases.
	After skin contacts:	Redness, burning, itching and cracking of skin may occur. A longer contact or contact with wet cement may cause hypersensitivity, dermatitis or burns in case of contact with wet skin.
	After eye contact:	May cause eye redness, tearing, irritation and pain, blurred vision and irreversible eye injuries.
	After swallowing:	May cause nausea, vomiting, diarrhea and stomach pain if large amounts are swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

	Not applicable
--	----------------

## SECTION 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

	Suitable extinguishing agents:	Carbon dioxide, dry powder, foam or water spray. Use extinguishing agent depending on the surrounding objects caught by fire.
	Inappropriate extinguishing agents:	Not applicable

### 5.2. Special hazards arising from the substance or mixture

	Dangerous combustion products:	Not known
--	--------------------------------	-----------

### 5.3. Advice for fire-fighters

	Not applicable
--	----------------

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 4 of 13

Trade name:	GLET F	BTL.C.43.02
Product code:	Production date: 31 March 2017	Version no: 02

<b>SECTION 6. ACCIDENTAL RELEASE MEASURES</b>	
6.1.	Personal precautions, protective equipment and emergency procedures
6.1.1.	For people not trained for the accident:
	Protective equipment: Use personal protective equipment as specified in Section 8.2
	Accident prevention procedures: Not applicable
	Emergency procedures: Do not create dust. Prevent spreading into the air, vacuum clean. Wet clean-up, wet the dust, sweep up wet product and remove with shovel. Leave it to rest for 30-90 minutes and then hand over for disposal.
6.1.2.	For people participating in accident response:
	If vacuum or wet cleaning is not possible, provide workers performing dry cleaning with protective equipment from Section 8.
6.2.	Environmental precautions
	Do not flush the product into sewer system, waste waters and other water courses.
6.3.	Methods and materials for containment and cleaning up
6.3.1.	For confinement: No information available
6.3.2.	For cleaning up: In accordance with Section 6.1.1.
6.3.3.	Other information: Avoid inhalation and skin contact.
6.4.	Reference to other sections
	Contaminated material should be disposed pursuant to Section 13. Use personal protection equipment pursuant to Section 8.
<b>SECTION 7. HANDLING AND STORAGE</b>	
7.1.	Precautions for safe handling
7.1.1.	Protective measures
	Recommendations for safe handling: In accordance with section 8.
	Fire prevention measures: No information available
	Aerosol and dust formation preventive measures: Do not sweep up with a broom or brush. Use vacuum cleaning that does not cause release of dust from the product.
	Incompatible materials handling: No information available
	Environment protective measures: Keep the bags tightly closed in horizontal position in waterproof, dry, clean places that are safe against contamination. Prevent product from entering water courses, sewer system and drains.
7.1.2.	General hygienic measures advice:
	Avoid inhalation, swallowing or skin contact. Change clothes and take a shower after work. Avoid eating, drinking and smoking while using the product.
7.2.	Conditions for safe storage, including any incompatibilities
	Technical measures and storage conditions: Dry, ventilated room protected against moisture.

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 5 of 13

Trade name:	GLET F	BTL.C.43.02
Product code:	Production date: 31 March 2017	Version no: 02

Packaging materials:	Natron paper bag.
Requests for storage rooms and containers:	Protect against humidity. Containers should be kept tightly closed in horizontal position, in waterproof, dry, clean rooms protected against contamination. Keep in a well-ventilated place. Prevent creation of dust.
Storage class:	Not relevant
Other information on storage conditions:	Recommended temperature 5-30°C. Ensure good ventilation.

<b>7.3.</b>	<b>Specific end use(s)</b>	
	Recommendations:	No information available
	Special solutions for industrial sector:	No information available

### SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

<b>8.1.</b>	<b>Control parameters:</b>
-------------	----------------------------

Substance	CAS number	Exposure limiting value (ELV/KELV)		Biological limiting values
		ppm	mg/m <sup>3</sup>	
Portland cement dust	68475-76-3	Not applicable	10(U)* 4 (R)**	Not applicable

\*total dust  
\*\*respirable dust

Substance:	Portland cement dust
------------	----------------------

EU No.:	270-659-9	CAS No.:	68475-76-3	Not applicable
---------	-----------	----------	------------	----------------

#### DNEL

#### Worker

Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable

Key physical parameters: melting point, flammability, corrosion:	Not applicable
--	----------------

#### User

Exposure way:	Acute local effects	Acute systematic effects	Chronic local effects	Chronic systematic effects
Oral	Not applicable	Not applicable	Not applicable	Not applicable
Inhalation	Not applicable	Not applicable	Not applicable	Not applicable
Skin	Not applicable	Not applicable	Not applicable	Not applicable

#### PNEC

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 6 of 13

Trade name:	GLET F	BTL.C.43.02
Product code:	Production date: 31 March 2017	Version no: 02

Environment segment	PNEC
Fresh water	Not applicable
Fresh water sediments	Not applicable
Sea water	Not applicable
Sea sediments	Not applicable
Food chain	Not applicable
Microorganisms in waste water treatment	Not applicable
Land (agricultural)	Not applicable
Air	Not applicable

8.2.	Exposure controls	
8.2.1.	Appropriate technical control	
	Exposure control measures in identified application:	Wear protective equipment from Section 8 as frequently as possible. Do not smoke, drink or eat during work to avoid contact with skin or face.
	Structural measures for exposure prevention:	Apply instructions from Section 7.
	Organizational measures for exposure prevention:	Remove contaminated clothing and shoes immediately after work. Remove jewellery and watches, take a shower and use skin moisturizing agents.
	Technical measures for exposure prevention:	Apply instructions from Section 7.
8.2.2.	Personal protective equipment	
8.2.2.1	Eyes and face protection:	Protective goggles that fit eyes/face well.
8.2.2.2	Skin protection	
	Hands protection:	Protective gloves made of alkali proof material
	Protection of other body parts:	Protective long sleeve working clothes and appropriate closed footwear. Prevent wet product enter shoes.
8.2.2.3	Protection of breathing parts:	It is not necessary in case of appropriate ventilation. In case of insufficient ventilation or creation of dust, use protective filter half-mask for protection from particles.
8.2.2.4	Protection from thermal hazards:	Not applicable
8.2.3.	Environment exposure control	
	Preventive measures for substance/mixture exposure:	Pursuant to Section 6.
	Structural measures for exposure prevention:	Pursuant to Section 6.
	Organizational measures for exposure prevention:	Pursuant to Section 6.
	Technical measures for exposure prevention:	Pursuant to Section 6.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 7 of 13

Trade name:	GLET F			BTL.C.43.02
Product code:	Production date:	31 March 2017	Version no:	02

9.1.	Information on basic physical and chemical properties		
		Value	Method
	Form:	Solid	Not applicable
	Colour:	White	Not applicable
	Odour:	Characteristic	Not applicable
	Odour threshold:	Not applicable	Not applicable
	pH:	Not applicable	Not applicable
	Melting point/Freezing point:	Not applicable	Not applicable
	Ignition boiling point and boiling range:	Not applicable	Not applicable
	Ignition point:	Not applicable	Not applicable
	Evaporation rate:	Not applicable	Not applicable
	Flammability (solid, gas):	Not applicable	Not applicable
	Upper/lower flammability or explosion limit:	Not applicable	Not applicable
	Vapour pressure:	Not applicable	Not applicable
	Vapour density:	Not applicable	Not applicable
	Relative density:	Not applicable	Not applicable
	Pouring density:	Not applicable	Not applicable
	Solubility:	Not applicable	Not applicable
	Partition coefficient: n-octanol /water (log Pow):	Not applicable	Not applicable
	Self-ignition temperature:	Not applicable	Not applicable
	Decomposition temperature:	Not applicable	Not applicable
	Viscosity:	Not applicable	Not applicable
	Explosion features:	Not applicable	Not applicable
	Oxidizing features:	Not applicable	Not applicable
9.2.	Other information		
	Not applicable		
SECTION 10. STABILITY AND REACTIVITY			
10.1.	Reactivity:	Not applicable	
10.2.	Chemical stability:	Stable under normal conditions. In case of contact with water, creates solid mass that is stable under normal conditions.	
10.3.	Possibility of hazardous reactions:	Not applicable	
10.4.	Conditions to avoid:	Humidity in storage may cause product quality loss.	
10.5.	Incompatible materials:	Not applicable	
10.6.	Hazardous disintegration products:	Not applicable	
SECTION 11. TOXICOLOGICAL INFORMATION			





## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 9 of 13

Trade name:	GLET F			BTL.C.43.02
Product code:	Production date:	31 March 2017	Version no:	02

Chronic to mouth	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic on skin	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic inhalation	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### Specific toxicity for organ target – single exposure (STOT SE):

	Specific effects	Exposed organ	Note
Swallowing:	Not applicable	Not applicable	Not applicable
Skin contact:	Not applicable	Not applicable	Not applicable
Inhalation:	Not applicable	Not applicable	Not applicable

### Specific toxicity for organ target – repeated exposure (STOT RE):

	Specific effects	Exposed organ	Note
Sub-acute to mouth	Not applicable	Not applicable	Not applicable
Sub-acute on skin	Not applicable	Not applicable	Not applicable
Sub-acute inhalation	Not applicable	Not applicable	Not applicable
Sub-chronic to mouth	Not applicable	Not applicable	Not applicable
Sub-chronic on skin	Not applicable	Not applicable	Not applicable
Sub-chronic inhalation	Not applicable	Not applicable	Not applicable
Chronic to mouth	Not applicable	Not applicable	Not applicable
Chronic on skin	Not applicable	Not applicable	Not applicable
Chronic inhalation	Not applicable	Not applicable	Not applicable

Aspiration hazards: Not applicable

Probable exposure ways: Not applicable

Symptoms referring to physical, chemical and toxic features

Swallowing: No information available

Skin contact: No information available

Inhalation: No information available

Eye contact: No information available

Delayed current effects, as well as chronic effects due to short and extended exposure: Not applicable

Interaction effects: Not applicable

Lack of certain information: Not applicable

Information on mixture in the reference to its ingredients information: Not applicable

Other information: Not applicable

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Acute toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Not applicable	Not applicable	Not applicable	Not applicable
Crabs (Daphnia)	EC <sub>50</sub>	48 hours	Not applicable	Not applicable	Not applicable	Not applicable

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 10 of 13

Trade name:	GLET F			BTL.C.43.02
Product code:	Production date:	31 March 2017	Version no:	02

Algae/water plants	IC <sub>50</sub>	72 hours	Not applicable	Not applicable	Not applicable	Not applicable
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity	Dose	Exposure time	Organism	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Not applicable	Not applicable	Not applicable	Not applicable
Crabs (Daphnia)	EC <sub>50</sub>	48 hours	Not applicable	Not applicable	Not applicable	Not applicable
Algae/water plants	IC <sub>50</sub>	72 hours	Not applicable	Not applicable	Not applicable	Not applicable
Other organisms	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>12.2. Persistence and degradability</b>						
Abiotic degradability						
	Half-degradability time		Method	Evaluation		Note
Sea water	Not applicable		Not applicable	Not applicable		Not applicable
Fresh water	Not applicable		Not applicable	Not applicable		Not applicable
Air	Not applicable		Not applicable	Not applicable		Not applicable
Soil	Not applicable		Not applicable	Not applicable		Not applicable
Physical and photo-chemical elimination						
Not applicable						
Biodegradability						
% degradation	Time (days)		Method	Evaluation		Note
Not applicable	Not applicable		Not applicable	Not applicable		Not applicable
<b>12.3. Bioaccumulative potential:</b>						
Partition coefficient: n-octanol/water (log Pow)						
Value	Concentration	pH	°C	Method	Evaluation	Note
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Bioconcentration factor (BCF)						
Value	Organism		Method	Evaluation		Note
Not applicable	Not applicable		Not applicable	Not applicable		Not applicable
Chronic eco-toxicity						
Value	Dose	Exposure time	Organism	Method	Evaluation	Note
Chronic toxicity in fish	LC <sub>50</sub>	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Chronic toxicity in crabs (Daphnia)	EC <sub>50</sub>	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>12.4. Mobility in soil</b>						
Known or anticipated partition in environment:						

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 11 of 13

Trade name:	GLET F	BTL.C.43.02
Product code:	Production date: 31 March 2017	Version no: 02

Not applicable					
Surface pressure:					
Value	°C	Concentration	Method	Note	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Adsorption/desorption					
Transport	A/D coefficient Henry's constant	log Pow	Evaporation	Method	Note
soil-water	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Water-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Soil-air	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
12.5.	Results of PBT and vPvB assessment				
	Not applicable				
12.6.	Other adverse effects				
	Product is not environmentally hazardous.				
<b>SECTION 13. DISPOSAL CONSIDERATIONS</b>					
13.1.	Waste treatment methods				
13.1.1.	Disposal of unused chemical/contaminated packaging:				
	Dispose as construction waste in line with local and national regulations. Inform authorized person.				
13.1.2.	Waste labelling according to waste catalogue:				
	Material residues: 17 09 04 (mixed waste from construction and demolition other than those listed in 17 09 01, 17 09 02 and 17 09 03) Packaging residues: 15 01 01 (paper and cardboard packaging)				
13.1.3.	Waste treatment forms:				
	Not applicable				
13.1.4.	Possibility of disposal to sewage:				
	Do not dispose to sewage system.				
13.1.5.	Other recommendations for disposal:				
	Not applicable				
13.1.6.	Regulations for waste management:				
	Law on waste management ("Official Gazette of the Republic of Srpska", number 111/13 and 106/15), Rulebook on waste categories, testing and classification ("Official Gazette of Republic of Srpska", no. 19/15).				
<b>SECTION 14. TRANSPORT INFORMATION</b>					
Road transport (ADR)					
UN number:	Goods not hazardous based on this regulation				
UN proper shipping name:	Not applicable				
Transport hazard class:	Not applicable				
Packaging group:	Not applicable				
Environmental hazards:	Not applicable				

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 12 of 13

Trade name:	GLET F			BTL.C.43.02
Product code:	Production date:	31 March 2017	Version no:	02

Special precautions for user:	Not applicable		
Railway transport (RID)			
UN number:	Goods not hazardous based on this regulation		
UN proper shipping name:	Not applicable		
Transport hazard class:	Not applicable		
Packaging group:	Not applicable		
Environmental hazards:	Not applicable		
Special precautions for user:	Not applicable		
Inland waterways transport (ADN)			
UN number:	Goods not hazardous based on this regulation		
UN proper shipping name:	Not applicable		
Transport hazard class:	Not applicable		
Packaging group:	Not applicable		
Environmental hazards:	Not applicable		
Special precautions for user:	Not applicable		
Seaways transport (IMDG)			
UN number:	Goods not hazardous based on this regulation		
UN proper shipping name:	Not applicable		
Transport hazard class:	Not applicable		
Packaging group:	Not applicable		
Environmental hazards:	Not applicable		
Special precautions for user:	Not applicable		
Transport in loose state (MARPOL73/78 and IBC code):	Not applicable		
Airways transport (ICAO-TI/IATA-DGR)			
UN number:	Goods not hazardous based on this regulation		
UN proper shipping name:	Not applicable		
Transport hazard class:	Not applicable		
Packaging group:	Not applicable		
Special precautions for user:	Not applicable		
Additional information:	Not applicable		
<b>SECTION 15. REGULATORY INFORMATION</b>			
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	Applicable regulations in the Republic of Srpska:	Law on chemicals (RS Off. Gaz. no. 25/09), Rulebook on classification, packaging and labelling of chemicals and certain products (RS Off. Gaz. no.50/10), Rulebook on contents of the Material Safety Data Sheet (RS Off. Gaz. no. 104/13), Law on waste management (RS Off. Gaz. no. 111/13 and 106/15), Rulebook on waste categories, testing and classification (RS Off. Gaz. no. 19/15).	
	Authorization and/or limitations in application		
	Authorizations:	Not applicable	
	Limitations:	Not applicable	
	Substance causing concern:	Product does not contain substances causing concern.	
	Other applicable regulations	Not applicable	

## MATERIAL SAFETY DATA SHEET

Pursuant to Rulebook on contents of Material Safety Data Sheet "Official Gazette of the Republic of Srpska number 104/13) in line with Regulation (EC) no. 1907/2006

Page 13 of 13

Trade name:	GLET F	BTL.C.43.02
Product code:	Production date: 31 March 2017	Version no: 02

	Information on emissions of volatile organic compounds (VOC):	Not relevant
15.2.	Chemical safety assessment	Chemical safety assessment not performed.
<b>SECTION 16. OTHER INFORMATION</b>		
	Changes report:	<b>II</b> Changes in comparison with the previous version.
	Abbreviations and acronyms:	Not applicable
	Basic literature and information sources:	Material Safety Data Sheet of raw materials, European Chemicals Agency
Classification and procedures used for classification of mixture according to CLP/GHS system		
Classification according to CLP/GHS system		Classification procedure
Skin irritation 2 Skin sensitisation 1 Serious eye damage 1 STOT SE 3		Classification procedure pursuant to procedures described in the Rulebook on classification, packaging and labelling of chemicals and certain products (RS Off. Gaz. no.50/10)
<b>II</b>	Relevant H and P signs (number and full text)	
	H 315	Causes skin irritation.
	H 317	May cause allergic skin reaction.
	H 318	Causes serious eye damage.
	H 335	May cause respiratory irritation.
	P 102	Keep out of reach of children.
	P 280	Wear protective gloves/protective clothing/eye protection/face protection
	P 302+352	IN CASE OF SKIN CONTACT: wash with water and soap abundant.
	P 304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P 305+351 +338	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P 310	Immediately call a POISON CENTER or doctor/physician.
	P 333+313	If skin irritation or rash occurs> Get medical advice/attention.
	P 501	Dispose of contents /container in accordance with local/ national/ regional/international regulations
	Advice for training:	Not applicable
	Additional information:	Information provided in this MSDS is a result of our best current knowledge. This information should serve as guidance in manipulation, use, storage, transport and disposal, hence it should not be considered as quality guarantee. Information refers to this product only and may not be used for combination with other materials and processes unless otherwise specified in the text. It is product user's responsibility to obey local legislation.